



JORISIDE
THE STEEL FUTURE
MEMBER OF JORIS IDE GROUP

PRODUCT RANGE

LEGEND



Aluminium



Anti drop



Stainless steel



Perforation


Please specify color side when ordering!

ROOF PROFILE

JI 18.76.988




THICKNESS mm	WEIGHT kg/m ²
0,50	4,85
0,60	5,82
0,75	7,27
0,88	8,53



VDB 19.105.1050




THICKNESS mm	WEIGHT kg/m ²
0,50	4,67
0,63	5,89
0,75	7,01
0,88	8,22
1,00	9,35
1,13	10,56
1,25	11,68



JI 19.155.1090



THICKNESS mm	WEIGHT kg/m ²
0,50	4,39
0,60	5,27
0,75	6,59
0,88	7,73



VDB 27.111.1000




THICKNESS mm	WEIGHT kg/m ²
0,50	4,91
0,63	6,18
0,75	7,36
0,88	8,64
1,00	9,81
1,13	11,09
1,25	12,27



JI 33.250.1000




THICKNESS mm	WEIGHT kg/m ²
0,50	4,79
0,60	5,75
0,75	7,18
0,88	8,43



ROOF PROFILE

JI 35.207.1035

THICKNESS mm	WEIGHT kg/m ²
0,50	4,63
0,60	5,55
0,75	6,94
0,88	8,14




OPTIONAL:
with reinforcing rib




JI 40.183.915

THICKNESS mm	WEIGHT kg/m ²
0,50	5,23
0,60	6,28
0,75	7,85
0,88	9,21






JI 45.333.1000

THICKNESS mm	WEIGHT kg/m ²
0,50	4,79
0,60	5,75
0,75	7,18
0,88	8,43




JI 46.150.900

THICKNESS mm	WEIGHT kg/m ²
0,60	6,38
0,63	6,70
0,70	7,45
0,75	7,98



METAL ROOF TILE PROFILE

THICKNESS mm	WEIGHT kg/m ²
0,50	5,00



WALL PROFILE



JI 18.76.988

AL

SS



THICKNESS mm	WEIGHT kg/m ²
0,50	4,85
0,60	5,82
0,75	7,27
0,88	8,53




VDB 19.105.1050

AL

SS





THICKNESS mm	WEIGHT kg/m ²
0,50	4,67
0,63	5,89
0,75	7,01
0,88	8,22
1,00	9,35



JI 19.155.1090

THICKNESS mm	WEIGHT kg/m ²
0,50	4,56
0,60	5,47
0,75	6,84
0,88	8,03





VDB 27.111.1000

AL

SS




THICKNESS mm	WEIGHT kg/m ²
0,50	4,91
0,63	6,18
0,75	7,36
0,88	8,64
1,00	9,81
1,13	11,09
1,25	12,27



JI 35.207.1035

THICKNESS mm	WEIGHT kg/m ²
0,50	4,63
0,60	5,55
0,75	6,94
0,88	8,14





OPTIONAL:
with reinforcing rib



WALL PROFILE

JI 40.183.915

THICKNESS mm	WEIGHT kg/m ²
0,50	5,23
0,60	6,28
0,75	7,85
0,88	9,21



OPTIONAL:
with reinforcing rib




VDB 45.150.900

AL

SS






THICKNESS mm	WEIGHT kg/m ²
0,50	5,45
0,63	6,87
0,75	8,18
0,88	9,59
1,00	10,90




JI 46.150.900

THICKNESS mm	WEIGHT kg/m ²
0,75	7,98




JI OPTICAL PROFILE

THICKNESS mm	WEIGHT kg/m ²
0,50	3,99
0,60	4,79




JI 10.100.1100

THICKNESS mm	WEIGHT kg/m ²
0,50	4,35
0,60	5,22
0,75	6,53



JI FAÇADE: RAINSCREEN CLADDING





TRAYS

JI 70.450 HR




THICKNESS mm	WEIGHT kg/m ²
0,75	8,64
0,88	10,14
1,00	11,52



JI 90.400 HR




THICKNESS mm	WEIGHT kg/m ²
0,75	9,63
0,88	11,30
1,00	12,86



JI 90.500 R





THICKNESS mm	WEIGHT kg/m ²
0,75	8,82
0,88	10,35
1,00	11,76



JI 90.500 HR



THICKNESS mm	WEIGHT kg/m ²
0,75	8,82
0,88	10,35
1,00	11,76




STEELDECK

JI 37.262.1060





THICKNESS mm	WEIGHT kg/m ²
0,75	6,95
0,88	8,15
1,00	9,27



JI 42.252.1010




THICKNESS mm	WEIGHT kg/m ²
0,75	7,11
0,88	8,34
1,00	9,49



JI 56.225.900





THICKNESS mm	WEIGHT kg/m ²
0,75	8,02
0,88	9,41
1,00	10,69



JI 73.195.780





THICKNESS mm	WEIGHT kg/m ²
0,75	8,52
0,88	9,99
1,00	11,36



JI 85.280.1120





THICKNESS mm	WEIGHT kg/m ²
0,75	7,90
0,88	9,27
1,00	10,53
1,25	13,16



JI 106.250.750



THICKNESS mm	WEIGHT kg/m ²
0,75	9,81
0,88	11,51
1,00	13,08



Please specify color side when ordering!

STEEL DECK



JI 135.310.930

AL

SS



THICKNESS mm	WEIGHT kg/m ²
0,75	9,50
0,88	11,14
1,00	12,66
1,25	15,83




JI 153.280.840

AL

SS



THICKNESS mm	WEIGHT kg/m ²
0,75	10,51
0,88	12,34
1,00	14,02
1,25	17,52




JI 158.250.750

AL

SS



THICKNESS mm	WEIGHT kg/m ²
0,75	11,78
0,88	13,82
1,00	15,70
1,25	19,63
1,50	23,55




VDB 200.375.750

AL

E





THICKNESS mm	WEIGHT kg/m ²
0,75	11,78
0,88	13,82
1,00	15,70
1,25	19,63
1,50	23,55




GAUVANIZED PROFILE

JI Ω-PROFILE | C-PROFILE

PROFILE	THICKNESS mm	WEIGHT kg/m ²
profile-Ω	1,5	2,54
profile-C	2,0	3,40
profile-C	2,5	4,20



JI Z-PROFILE | SIGMA-PROFILE



WEIGHT kg/m²



THICKNESS	1,5mm	2mm	2,5mm	3mm	3,5mm
Z 140	3,50	4,55	5,65	—	—
Z 160	3,70	4,90	6,00	—	—
Z 180	4,00	5,20	6,40	—	—
Z 200	4,20	5,50	6,80	—	—
Z 220	—	5,85	7,20	—	—
Z 250	—	6,60	8,40	9,85	—
Z 300	—	8,15	10,15	12,20	14,20
Z 350	—	8,95	11,20	13,40	15,60
Z 400	—	9,90	12,50	14,80	17,30
Σ 140	3,50	4,55	5,65	—	—
Σ 170	3,85	5,10	6,35	—	—
Σ 200	4,20	5,50	6,80	—	—
Σ 230	4,50	6,00	7,55	—	—

COMPOSITE PANELS

JI ROOF 1000

PUR / PIR(LPCB)

THICKNESS	WEIGHT
mm	kg/m ²
40	11,71
60	12,51
80	13,30
100	14,10
120	14,89
150	16,09




JI WALL 1000 SF


PUR / PIR(LPCB)

THICKNESS	WEIGHT
mm	kg/m ²
60	11,79
80	12,59
100	13,99
120	14,19
150	15,39



LINER PROFILE



MICRORIB



PLANK PROFILE




JI WALL 1150 VF



PUR / PIR

THICKNESS	WEIGHT
mm	kg/m ²
40	10,78
60	11,70

LINER PROFILE



MICRORIB




JI WALL 1150 VF



PUR / PIR

THICKNESS	WEIGHT
mm	kg/m ²
80	12,14
100	12,93

LINER PROFILE



MICRORIB



Please specify color side when ordering!




COMPOSITE PANELS

JI WALL 1150 VF

PUR / PIR

THICKNESS mm	WEIGHT kg/m ²
120	13,74
150	14,94
170	15,74
200	16,94


LINER PROFILE



JI ONDUROOF

PUR / PIR

THICKNESS mm	WEIGHT kg/m ²
40	12,51
60	13,30





JI ECOPANEL

Liner: alu stucco foil

PUR

THICKNESS mm	WEIGHT kg/m ²
20	6,75
30	7,15
40	7,54
60	8,34





JI ROOF PLUS

Liner: polyester sheet

PUR

THICKNESS mm	WEIGHT kg/m ²
40	7,54
60	8,34
90	9,14




JI ONDUROOF PLUS

Liner: polyester sheet

PUR

THICKNESS mm	WEIGHT kg/m ²
40	8,34
60	9,13





COMPOSITE PANELS

JI PERMAPAN

PUR / PIR(LPCB)



THICKNESS	WEIGHT
mm	kg/m ²
40	11,92
60	12,72
80	13,52
100	14,37



VULCASTEEL ROOF

ROCKWOOL


THICKNESS	WEIGHT
mm	kg/m ²
50	15,50
60	16,00
80	18,00
100	20,00
120	22,00
140	24,00
160	26,00
180	28,00
200	30,00



VULCASTEEL WALL 1130 VF

ROCKWOOL


THICKNESS	WEIGHT
mm	kg/m ²
50	15,30
60	16,30
80	18,30
100	20,30
120	22,30
150	25,30
200	31,30



VULCASTEEL WALL 1000 SF

ROCKWOOL

THICKNESS	WEIGHT
mm	kg/m ²
50	15,30
60	16,30
80	18,30
100	20,30
120	22,30
140	25,30
160	27,30
180	29,30
200	31,30



Please specify color side when ordering!

EUROPETWINTILE
THE STEEL FUTURE
MEMBER OF JORIS IDE GROUP

EUROPE TWIN TILE NV

JORISIDE
THE STEEL FUTURE
MEMBER OF JORIS IDE GROUP

JORIS IDE NV

JORISIDE
THE STEEL FUTURE
MEMBER OF JORIS IDE GROUP

SBP

SOCIETE BRETONNE DE PROFILAGE SAS

JORISIDE
THE STEEL FUTURE
MEMBER OF JORIS IDE GROUP

MAFER division of JORIS IDE NV

JORISIDE
THE STEEL FUTURE
MEMBER OF JORIS IDE GROUP

ISOMETALL division of JORIS IDE NV

JORISIDE
THE STEEL FUTURE
MEMBER OF JORIS IDE GROUP

JORIS IDE SUD OUEST SAS

JORISIDE
THE STEEL FUTURE
MEMBER OF JORIS IDE GROUP

CB

COMPTOIR DU BATIMENT
ET DE L'INDUSTRIE SAS



JORIS IDE FAÇADE



JORIS IDE ENERGY

JORISIDE
THE STEEL FUTURE
MEMBER OF JORIS IDE GROUP

JORIS IDE DEUTSCHLAND

JORISIDE
THE STEEL FUTURE
MEMBER OF JORIS IDE GROUP

JORIS IDE AUVERGNE SAS

JORISIDE
THE STEEL FUTURE
MEMBER OF JORIS IDE GROUP

JORIS IDE LTD

MEGAPROFIL
THE STEEL FUTURE
MEMBER OF JORIS IDE GROUP

HUNGARY

MEGAPROFIL
THE STEEL FUTURE
MEMBER OF JORIS IDE GROUP

CROATIA

JORISIDE
THE STEEL FUTURE
MEMBER OF JORIS IDE GROUP

MEGAPROFIL ROMANIA

PROFINORD
THE STEEL FUTURE
MEMBER OF JORIS IDE GROUP

NV JORIS IDE

Hille 174, B-8750 Zwevezele

T. +32 (0)51 61 07 77

F. +32 (0)51 61 07 79

division.export@joriside.be

VAT BE 0450.452.063, RPR/RPM BRUGES - BIC: GEBABEBB - BANK ACCOUNT: 280-0296453-58 - IBAN: BE 95 2800 2964 5358

JORISIDE
THE STEEL FUTURE
MEMBER OF JORIS IDE GROUP

WWW.JORISIDE.COM



MIX
Papier van
verantwoorde herkomst
FSC® C005242

MR020_6-03/14